

产品介绍

Product Info

DOVOC's O-rings_American Standard(AS-

Item No.	ID(内径)	OD(外径)	C/S(线径)	Item No.	ID(内径)	OD(外径)	C/S(线径)
AS-001	0.74	2.78	1.02	AS-026	31.47	35.03	1.78
AS-002	1.07	3.61	1.27	AS-027	33.05	36.61	1.78
AS-003	1.42	4.48	1.53	AS-028	34.65	38.21	1.78
AS-004	1.78	5.34	1.78	AS-029	37.82	41.38	1.78
AS-005	2.57	6.13	1.78	AS-030	41.00	44.56	1.78
AS-006	2.90	6.46	1.78	AS-031	44.17	47.73	1.78
AS-007	3.69	7.25	1.78	AS-032	47.35	50.91	1.78
AS-008	4.47	8.03	1.78	AS-033	50.52	54.08	1.78
AS-009	5.29	8.85	1.78	AS-034	53.70	57.26	1.78
AS-010	6.07	9.63	1.78	AS-035	56.70	60.43	1.78
AS-011	7.65	11.21	1.78	AS-036	60.04	63.60	1.78
AS-012	9.25	12.81	1.78	AS-037	63.22	66.78	1.78
AS-013	10.82	14.38	1.78	AS-038	66.40	69.96	1.78
AS-014	12.42	15.98	1.78	AS-039	69.57	73.13	1.78
AS-015	14.00	17.56	1.78	AS-040	72.75	76.31	1.78
AS-016	15.60	19.16	1.78	AS-041	75.92	79.48	1.78
AS-017	17.17	20.73	1.78	AS-042	82.27	85.83	1.78
AS-018	18.77	22.33	1.78	AS-043	88.62	92.18	1.78
AS-019	20.35	23.91	1.78	AS-044	94.97	98.53	1.78
AS-020	21.95	25.51	1.78	AS-045	101.32	104.88	1.78
AS-021	23.52	27.08	1.78	AS-046	107.62	111.18	1.78
AS-022	25.12	28.68	1.78	AS-047	114.02	117.58	1.78
AS-023	26.70	30.26	1.78	AS-048	120.37	123.93	1.78
AS-024	28.30	31.86	1.78	AS-049	126.72	130.28	1.78
AS-025	29.87	33.43	1.78	AS-050	133.07	136.63	1.78
AS-102	1.24	6.48	2.62	AS-140	56.82	62.06	2.62
AS-103	2.05	7.29	2.62	AS-141	58.42	63.66	2.62
AS-104	2.84	8.08	2.62	AS-142	60.00	65.24	2.62
AS-105	3.63	8.87	2.62	AS-143	61.60	66.84	2.62
AS-106	4.42	9.66	2.62	AS-144	63.17	68.41	2.62
AS-107	5.23	10.47	2.62	AS-145	64.77	70.01	2.62
AS-108	6.02	11.26	2.62	AS-146	66.35	71.59	2.62
AS-109	7.59	12.84	2.62	AS-147	67.95	73.19	2.62
AS-110	9.19	14.43	2.62	AS-148	69.52	74.76	2.62
AS-111	10.77	16.01	2.62	AS-149	71.12	76.36	2.62
AS-112	12.37	17.61	2.62	AS-150	72.70	77.94	2.62
AS-113	13.95	19.19	2.62	AS-151	75.87	81.11	2.62
AS-114	15.54	20.78	2.62	AS-152	82.22	87.46	2.62
AS-115	17.12	22.36	2.62	AS-153	88.57	93.81	2.62
AS-116	18.72	23.96	2.62	AS-154	94.92	100.16	2.62
AS-117	20.29	25.53	2.62	AS-155	101.27	106.51	2.62
AS-118	21.90	27.14	2.62	AS-156	107.62	112.86	2.62
AS-119	23.47	28.71	2.62	AS-157	113.97	119.21	2.62
AS-120	25.07	30.31	2.62	AS-158	120.32	125.56	2.62
AS-121	26.65	31.89	2.62	AS-159	126.67	131.91	2.62
AS-122	28.25	33.49	2.62	AS-160	133.02	138.26	2.62

AS-123	29.82	35.06	2.62	AS-161	139.37	144.61	2.62
AS-124	31.42	36.66	2.62	AS-162	145.72	150.96	2.62
AS-125	32.99	38.23	2.62	AS-163	152.07	157.31	2.62
AS-126	34.60	39.84	2.62	AS-164	158.42	163.66	2.62
AS-127	36.17	41.41	2.62	AS-165	164.77	170.01	2.62
AS-128	37.77	43.01	2.62	AS-166	171.12	176.36	2.62
AS-129	39.35	44.59	2.62	AS-167	177.47	182.71	2.62
AS-130	40.95	46.19	2.62	AS-168	183.82	189.06	2.62
AS-131	42.52	47.76	2.62	AS-169	190.17	195.41	2.62
AS-132	44.12	49.36	2.62	AS-170	196.52	201.76	2.62
AS-133	45.70	50.94	2.62	AS-171	202.87	208.11	2.62
AS-134	47.30	52.54	2.62	AS-172	209.22	214.46	2.62
AS-135	48.90	54.14	2.62	AS-173	215.57	220.81	2.62
AS-136	50.47	55.71	2.62	AS-174	221.92	227.16	2.62
AS-137	52.07	57.31	2.62	AS-175	228.27	233.51	2.62
AS-138	53.65	58.89	2.62	AS-176	234.62	239.36	2.62
AS-139	55.25	60.49	2.62	AS-177	240.97	246.21	2.62
				AS-178	247.32	252.56	2.62
AS-201	4.34	11.40	3.53	AS-243	104.37	111.43	3.53
AS-202	5.94	13.00	3.53	AS-244	107.54	114.60	3.53
AS-203	7.52	14.58	3.53	AS-245	110.72	117.78	3.53
AS-204	9.12	16.18	3.53	AS-246	113.89	120.95	3.53
AS-205	10.69	17.75	3.53	AS-247	117.07	124.13	3.53
AS-206	12.29	19.35	3.53	AS-248	120.24	127.30	3.53
AS-207	13.87	20.93	3.53	AS-249	123.42	130.48	3.53
AS-208	15.47	22.53	3.53	AS-250	126.59	133.65	3.53
AS-209	17.04	24.10	3.53	AS-251	129.77	136.83	3.53
AS-210	18.64	25.70	3.53	AS-252	132.94	140.00	3.53
AS-211	20.22	27.28	3.53	AS-253	136.12	143.18	3.53
AS-212	21.82	28.88	3.53	AS-254	139.30	146.36	3.53
AS-213	23.40	30.46	3.53	AS-255	142.47	149.53	3.53
AS-214	25.00	32.06	3.53	AS-256	145.65	152.71	3.53
AS-215	26.57	33.63	3.53	AS-257	148.82	155.88	3.53
AS-216	28.17	35.23	3.53	AS-258	152.00	159.06	3.53
AS-217	29.75	36.81	3.53	AS-259	158.35	165.41	3.53
AS-218	31.34	38.40	3.53	AS-260	164.70	171.76	3.53
AS-219	32.92	39.98	3.53	AS-261	171.05	178.11	3.53
AS-220	34.52	41.58	3.53	AS-262	177.40	184.46	3.53
AS-221	36.10	43.16	3.53	AS-263	183.75	190.81	3.53
AS-222	37.70	44.76	3.53	AS-264	190.10	197.16	3.53
AS-223	40.87	47.93	3.53	AS-265	196.45	203.51	3.53
AS-224	44.05	51.11	3.53	AS-266	202.80	209.86	3.53
AS-225	47.22	54.28	3.53	AS-267	209.15	216.21	3.53
AS-226	50.40	57.46	3.53	AS-268	215.50	222.56	3.53
AS-227	53.57	60.63	3.53	AS-269	221.85	228.91	3.53
AS-228	56.75	63.81	3.53	AS-270	228.20	235.26	3.53
AS-229	59.92	66.98	3.53	AS-271	234.55	241.61	3.53
AS-230	63.10	70.16	3.53	AS-272	240.90	247.96	3.53
AS-231	66.27	73.33	3.53	AS-273	247.25	254.31	3.53
AS-232	69.44	76.50	3.53	AS-274	253.60	260.66	3.53
AS-233	72.62	79.68	3.53	AS-275	266.30	273.36	3.53

AS-234	75.79	82.85	3.53	AS-276	279.00	286.06	3.53
AS-235	78.97	86.03	3.53	AS-277	291.70	298.76	3.53
AS-236	82.14	89.20	3.53	AS-278	304.40	311.46	3.53
AS-237	85.32	92.38	3.53	AS-279	329.80	336.86	3.53
AS-238	88.49	95.55	3.53	AS-280	355.20	362.26	3.53
AS-239	91.67	98.73	3.53	AS-281	380.60	387.66	3.53
AS-240	94.84	101.90	3.53	AS-282	405.26	412.32	3.53
AS-241	98.02	105.08	3.53	AS-283	430.66	437.72	3.53
AS-242	101.19	108.25	3.53	AS-284	456.06	463.12	3.53
AS-309	10.46	21.12	5.33	AS-352	123.19	133.85	5.33
AS-310	12.07	22.73	5.33	AS-353	126.37	127.03	5.33
AS-311	13.64	24.30	5.33	AS-354	129.54	140.20	5.33
AS-312	15.24	25.90	5.33	AS-355	132.72	143.38	5.33
AS-313	16.81	27.47	5.33	AS-356	135.89	146.55	5.33
AS-314	18.42	29.08	5.33	AS-357	139.07	149.73	5.33
AS-315	19.99	30.65	5.33	AS-358	142.24	152.90	5.33
AS-316	21.59	32.25	5.33	AS-359	145.42	156.08	5.33
AS-317	23.16	33.82	5.33	AS-360	148.59	159.25	5.33
AS-318	24.77	35.43	5.33	AS-361	151.77	162.43	5.33
AS-319	26.34	37.00	5.33	AS-362	158.12	168.78	5.33
AS-320	27.94	38.60	5.33	AS-363	164.47	175.13	5.33
AS-321	29.51	40.17	5.33	AS-364	170.82	181.48	5.33
AS-322	31.12	41.78	5.33	AS-365	177.17	187.83	5.33
AS-323	32.69	43.35	5.33	AS-366	183.52	194.18	5.33
AS-324	34.29	44.95	5.33	AS-367	189.87	200.53	5.33
AS-325	37.47	48.13	5.33	AS-368	196.22	206.88	5.33
AS-326	40.65	51.31	5.33	AS-369	202.57	213.23	5.33
AS-327	43.82	54.48	5.33	AS-370	208.92	219.58	5.33
AS-328	46.99	57.65	5.33	AS-371	215.27	225.93	5.33
AS-329	50.16	60.82	5.33	AS-372	221.62	232.28	5.33
AS-330	53.34	64.00	5.33	AS-373	227.97	238.63	5.33
AS-331	56.52	67.18	5.33	AS-374	234.32	244.98	5.33
AS-332	59.69	70.35	5.33	AS-375	240.67	251.33	5.33
AS-333	62.87	73.53	5.33	AS-376	247.02	257.68	5.33
AS-334	66.04	76.70	5.33	AS-377	253.37	264.03	5.33
AS-335	69.22	79.88	5.33	AS-378	266.07	276.73	5.33
AS-336	72.39	83.05	5.33	AS-379	278.77	289.43	5.33
AS-337	75.57	86.23	5.33	AS-380	291.47	302.13	5.33
AS-338	78.74	89.40	5.33	AS-381	304.17	314.83	5.33
AS-339	81.92	92.58	5.33	AS-382	329.55	340.21	5.33
AS-340	85.09	95.75	5.33	AS-383	354.97	365.63	5.33
AS-341	88.27	98.93	5.33	AS-384	380.37	391.03	5.33
AS-342	91.44	102.10	5.33	AS-385	405.26	415.92	5.33
AS-343	94.62	105.28	5.33	AS-386	430.65	441.31	5.33
AS-344	97.79	108.45	5.33	AS-387	456.06	466.72	5.33
AS-345	100.96	111.62	5.33	AS-388	481.46	492.12	5.33
AS-346	104.14	114.80	5.33	AS-389	506.86	517.52	5.33
AS-347	107.32	117.98	5.33	AS-390	532.26	542.92	5.33
AS-348	110.49	121.15	5.33	AS-391	557.66	568.32	5.33
AS-349	113.67	124.33	5.33	AS-392	582.65	593.31	5.33
AS-350	116.84	127.50	5.33	AS-393	608.10	618.76	5.33

AS-351	120.02	130.68	5.33	AS-394	633.50	644.16	5.33
				AS-395	658.85	669.51	5.33
AS-401	37.47	51.45	6.99	AS-429	126.37	140.35	6.99
AS-402	40.64	54.62	6.99	AS-430	129.54	143.52	6.99
AS-403	43.82	57.80	6.99	AS-431	132.72	146.70	6.99
AS-404	46.99	60.97	6.99	AS-432	135.89	149.87	6.99
AS-405	50.17	64.15	6.99	AS-433	139.07	153.05	6.99
AS-406	53.34	67.32	6.99	AS-434	142.24	156.22	6.99
AS-407	56.52	70.50	6.99	AS-435	145.42	159.40	6.99
AS-408	59.69	73.67	6.99	AS-436	148.59	162.57	6.99
AS-409	62.87	76.85	6.99	AS-437	151.77	165.75	6.99
AS-410	66.04	80.02	6.99	AS-438	158.12	172.10	6.99
AS-411	69.22	83.20	6.99	AS-439	164.47	178.45	6.99
AS-412	72.39	86.37	6.99	AS-440	170.82	184.80	6.99
AS-413	75.57	89.55	6.99	AS-441	177.17	191.15	6.99
AS-414	78.74	92.72	6.99	AS-442	183.52	197.50	6.99
AS-415	81.92	95.90	6.99	AS-443	189.87	203.85	6.99
AS-416	85.09	99.07	6.99	AS-444	196.22	210.20	6.99
AS-417	88.27	102.25	6.99	AS-445	202.57	216.55	6.99
AS-418	91.44	105.42	6.99	AS-446	215.27	229.25	6.99
AS-419	94.62	108.60	6.99	AS-447	227.97	241.95	6.99
AS-420	97.79	111.77	6.99	AS-448	240.67	254.65	6.99
AS-421	100.97	114.95	6.99	AS-449	253.57	267.35	6.99
AS-422	104.14	118.12	6.99	AS-450	266.07	280.05	6.99
AS-423	107.32	121.30	6.99	AS-451	278.77	292.75	6.99
AS-424	110.49	124.47	6.99	AS-452	291.47	305.45	6.99
AS-425	113.67	127.65	6.99	AS-453	304.17	318.15	6.99
AS-426	116.84	130.82	6.99	AS-454	316.87	330.85	6.99
AS-427	120.02	134.00	6.99	AS-455	329.57	343.55	6.99
AS-428	123.19	137.17	6.99	AS-456	342.27	356.25	6.99
AS-901	4.70	7.54	1.42	AS-457	354.97	368.95	6.99
AS-902	6.07	9.33	1.63	AS-458	367.67	381.65	6.99
AS-903	7.65	10.91	1.63	AS-459	380.37	394.35	6.99
AS-904	8.92	12.58	1.83	AS-460	393.07	407.05	6.99
AS-905	10.52	14.18	1.83	AS-461	405.26	419.24	6.99
AS-906	11.89	15.85	1.98	AS-462	417.96	431.94	6.99
AS-907	13.46	17.62	2.08	AS-463	430.66	444.64	6.99
AS-908	16.36	20.78	2.21	AS-464	443.36	457.34	6.99
AS-909	17.94	22.86	2.46	AS-465	456.06	470.04	6.99
AS-910	19.18	24.10	2.46	AS-466	468.76	482.74	6.99
AS-911	21.92	27.82	2.95	AS-467	481.46	495.44	6.99
AS-912	23.47	29.37	2.95	AS-468	494.16	508.14	6.99
AS-913	25.04	30.94	2.95	AS-469	506.86	520.84	6.99
AS-914	26.60	32.50	2.95	AS-470	532.26	546.24	6.99
AS-916	29.75	35.65	2.95	AS-471	557.66	571.64	6.99
AS-918	34.42	40.32	2.95	AS-472	582.65	596.63	6.99
AS-920	37.46	43.46	3.00	AS-473	608.10	622.08	6.99
AS-924	43.68	49.68	3.00	AS-474	633.50	647.48	6.99
AS-928	53.09	59.09	3.00	AS-475	658.85	672.83	6.99
AS-932	59.36	65.36	3.00				

Mark

This chart is American Standard O-rings and these sizes are the main products of DOVOC's Products. They are produced by Huge Mould. There are also thousands of other sizes Orings including Japanese Standards, German Standards and British Standards which are mainly produced by smaller moulds.

DOVOC's O-ring Acceptable Tolerance

ID(mm)	Tol(+/-)		C/S(mm)	Tol(+/-)
-	1.79		-	1.79
1.80 -	6.29		1.80 -	2.64
6.30 -	10.59		2.65 -	3.54
10.60 -	18.99		3.55 -	5.29
9.00 -	31.49		5.30 -	6.99
31.50 -	41.19		7.00 -	8.00
41.20 -	51.49		8.01 -	10.00
51.50 -	64.99		10.01 -	15.00
65.00 -	82.49		15.01 -	25.00
82.50 -	121.99		25.01 -	100.00
122.00 -	184.99			
185.00 -	257.99			
258.00 -	324.99			
325.00 -	411.99			
412.00 -	514.99			
515.00 -	649.99			
650.00 -	669.99			
670.00 -	999.99			

FOR MORE INFORMATION, PLEASE SEND ENQUIRY OR EMAIL TO JASON.ZHANG@OKINRUBBER.COM

WRITTEN BY
OKIN HUASU RUBBER AND PLASTICS GROUP LIMITED